RSC Advancing the Chemical Sciences

Chemistry World

Nanomembranes get tough

27 May 2008

A new chemical approach to making strong carbon films less than 5nm thick could help speed their use in molecular sieves and flexible displays, according to researchers in the US.

The tough nanomembranes made by the team, led by Jeffrey Moore and John Rogers at the University of Illinois at Urbana-Champaign, come in a variety of shapes and sizes, including balloons, tubes and pleats.

The team used a two-step process to make the films, starting with a solution of alkyne-containing monomers, which self-assemble on a substrate as a single molecule layer. Then, in the presence of a molybdenum or copper catalyst, the molecules cross-link to form a carbon-rich film. The membranes can be produced as flat sheets, or on silica beads, optical fibres and corrugated surfaces to create different shapes.

In theory, the size of the monolayer that can be produced is unlimited. The unique feature of the method, however, is the degree of control it provides over the composition of the membranes, says Moore. 'We can build these sheets from the molecular level up - a molecular building block approach.'

The team think this ability to fine tune the structure of the nanomembranes could make them useful as molecular sieves. But their long term goal is to make membranes that have more interesting electronic properties and are easier to make than other promising materials such as graphene. Current techniques for producing graphene rely on rubbing bulk graphite across a hard surface to yield graphene flakes.

'We believe that the combination of an electronically interesting material that can be manipulated in some of these more exotic ways could really open up a lot of unusual electronic structures,' says Moore.

"We believe that the combination of an electronically interesting material that can be manipulated in some of these more exotic ways could really open up a lot of unusual electronic structures"
- Jeffrey Moore

Kos Galatsis, who studies nanoelectronics at the University of California, Los Angeles, is sceptical about the team's plan to use their new method to produce materials for semiconductors. 'It may indeed increase strength by including carbon, but from a electronic transport property point of view, there is not much there.'

The team concede that they don't yet have a material that could be applied in high-end computing. However, they believe they will within a far shorter timescale be able to create films for flexible displays, which may eventually replace screens on computers and handheld devices such as PDAs.

Hayley Birch

Interesting? Spread the word using the 'tools' menu on the left.

References

M J Schultz *et al*, *Proc. Natl. Acad. Sci. USA*, 2008, **105**, 7353.

Also of interest

Fabricating nanomembranes with novel properties
US scientists have developed an efficient method for fabricating freely suspended nanomembranes containing novel organized arrays of nanostructures.

Graphene sheets with less flap
Chemical trickery allows separation by electrostatic repulsion alone

The graphene challenge
Atom-thin sheets of carbon are taking the materials world by storm. Richard Van Noorden discovers that now is the perfect time for chemists to join the party

RSC Publishing Nanoscience
Highlighting published papers in Nanoscience at the RSC

Related Links

Comment on this story at the Chemistry World blog
Read other posts and join in the discussion

External links will open in a new browser window